



















Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(1)	FOH Pipe #1	10	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	15
(2)	FOH Pipe #1	8	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	17
(3)	FOH Pipe #1	6	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	19
(4)	FOH Pipe #1	4	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	21
(5)	FOH Pipe #1	2	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	23
(6)	FOH Pipe #1	9	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	16
(7)	FOH Pipe #1	7	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	18
(8)	FOH Pipe #1	5	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	20
(9)	FOH Pipe #1	3	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	22
(10)	FOH Pipe #1	1	Source 4 10deg+10" Black Top hat 750w	Front Light	 R53+ R132	24
(11)	1st Electric	24	Source 4 36deg 575w	Front Light	 R53+ R132	75
(12)	1st Electric	19	Source 4 36deg 575w	Front Light	 R53+ R132	70
(13)	1st Electric	14	Source 4 36deg 575w	Front Light	 R53+ R132	64
(14)	1st Electric	10	Source 4 36deg 575w	Front Light	 R53+ R132	63
(15)	1st Electric	5	Source 4 36deg 575w	Front Light	 R53+ R132	58
(21)	SR Box Boom 2A	4	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	 R132	633
(22)	SR Box Boom 2A	6	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	 R132	643
(23)	SR Box Boom 2A	8	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	 R132	653


Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(24)	SL Box Boom 2A	4	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	<input type="radio"/> R132	663
(25)	SL Box Boom 2A	6	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	<input type="radio"/> R132	673
(26)	SL Box Boom 2A	8	ETC Source 4 Lustr2 19deg+ 6.25" Black Top Hat 117w	LED Front Fill	<input type="radio"/> R132	683
(31)	SR Box Boom 2A	5	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	42
(32)	SR Box Boom 2A	7	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	43
(33)	SR Box Boom 2A	9	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	45
(34)	SL Box Boom 2A	5	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	49
(35)	SL Box Boom 2A	7	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	50
(36)	SL Box Boom 2A	9	Source 4 19deg+6.25" Black Top Hat 575w	Pattern Front Fill	<input type="radio"/> N/C, T: R78418	53
(41)	SR Box Boom 1	3	Source 4 36deg+6.25" Black Top Hat 575w	Side Light	<input checked="" type="radio"/> R53+ R132	36
(42)	SR Box Boom 1	2	Source 4 36deg+6.25" Black Top Hat 575w	Side Light	<input checked="" type="radio"/> R53+ R132	35
(43)	SR Box Boom 1	1	Source 4 26deg+6.25" Black Top Hat 575w	Side Light	<input checked="" type="radio"/> R53+ R132	34
(44)	1st Electric	28	Source 4 36deg 575w	Side Light	<input checked="" type="radio"/> R53+ R132	77
(45)	1st Electric	27	Source 4 36deg 575w	Side Light	<input checked="" type="radio"/> R53+ R132	79
(46)	1st Electric	26	Source 4 26deg 575w	Side Light	<input checked="" type="radio"/> R53+ R132	78

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(47)	2nd Electric	27	Source 4 36deg 575w	Side Light	 R53+ R132	103
(48)	2nd Electric	26	Source 4 36deg 575w	Side Light	 R53+ R132	105
(49)	2nd Electric	25	Source 4 26deg 575w	Side Light	 R53+ R132	104
(50)	3rd Electric	27	Source 4 36deg 575w	Side Light	 R53+ R132	127
(51)	3rd Electric	26	Source 4 36deg 575w	Side Light	 R53+ R132	129
(52)	3rd Electric	25	Source 4 26deg 575w	Side Light	 R53+ R132	128
(61)	SL Box Boom 1	1	Source 4 26deg+6.25" Black Top Hat 575w	Side Light	 R53+ R132	38
(62)	SL Box Boom 1	2	Source 4 36deg+6.25" Black Top Hat 575w	Side Light	 R53+ R132	39
(63)	SL Box Boom 1	3	Source 4 36deg+6.25" Black Top Hat 575w	Side Light	 R53+ R132	40
(64)	1st Electric	3	Source 4 26deg 575w	Side Light	 R53+ R132	55
(65)	1st Electric	2	Source 4 36deg 575w	Side Light	 R53+ R132	54
(66)	1st Electric	1	Source 4 36deg 575w	Side Light	 R53+ R132	56
(67)	2nd Electric	3	Source 4 26deg 575w	Side Light	 R53+ R132	81
(68)	2nd Electric	2	Source 4 36deg 575w	Side Light	 R53+ R132	80
(69)	2nd Electric	1	Source 4 36deg 575w	Side Light	 R53+ R132	82
(70)	3rd Electric	3	Source 4 26deg 575w	Side Light	 R53+ R132	107
(71)	3rd Electric	2	Source 4 36deg 575w	Side Light	 R53+ R132	106
(72)	3rd Electric	1	Source 4 36deg 575w	Side Light	 R53+ R132	108

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(81)	DSL	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	513
(82)	DSR	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	573
(83)	MSL	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	533
(84)	MSR	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	593
(85)	USL	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	553
(86)	USR	1	Etc Source 4 Lustr2 26deg 117w	LED Ladder Side	<input type="radio"/> R132	613
(91)	DSL	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	523
(92)	DSR	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	583
(93)	MSL	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	543
(94)	MSR	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	603
(95)	USL	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	563
(96)	USR	2	Etc Source 4 Lustr2 36deg 140w	LED Pattern Ladder Side	<input type="radio"/> N/C, T: R78418	623
(101)	1st Electric	18	S4 PAR WFL 575w	Red Top	<input checked="" type="radio"/> R26	74
	"	23	"	"	"	"
(102)	1st Electric	8	S4 PAR WFL 575w	Red Top	<input checked="" type="radio"/> R26	61
	"	13	"	"	"	"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(103)	2nd Electric	18	S4 PAR WFL 575w	Red Top	 R26	97
	"	23	"	"	"	101
(104)	2nd Electric	7	S4 PAR WFL 575w	Red Top	 R26	86
	"	12	"	"	"	90
(105)	3rd Electric	18	S4 PAR WFL 575w	Red Top	 R26	121
	"	23	"	"	"	125
(106)	3rd Electric	7	S4 PAR WFL 575w	Red Top	 R26	112
	"	12	"	"	"	"
(111)	1st Electric	17	S4 PAR WFL 575w	Green Top	 R90	73
	"	22	"	"	"	"
(112)	1st Electric	7	S4 PAR WFL 575w	Green Top	 R90	60
	"	12	"	"	"	"
(113)	2nd Electric	17	S4 PAR WFL 575w	Green Top	 R90	96
	"	22	"	"	"	100
(114)	2nd Electric	6	S4 PAR WFL 575w	Green Top	 R90	85
	"	11	"	"	"	89
(115)	3rd Electric	17	S4 PAR WFL 575w	Green Top	 R90	120
	"	22	"	"	"	124
(116)	3rd Electric	6	S4 PAR WFL 575w	Green Top	 R90	111
	"	11	"	"	"	115
(121)	1st Electric	16	S4 PAR WFL 575w	Blue Top	 R80	72
	"	21	"	"	"	"
(122)	1st Electric	6	S4 PAR WFL 575w	Blue Top	 R80	59
	"	11	"	"	"	"
(123)	2nd Electric	16	S4 PAR WFL 575w	Blue Top	 R80	95
	"	21	"	"	"	99
(124)	2nd Electric	5	S4 PAR WFL 575w	Blue Top	 R80	84
	"	10	"	"	"	88

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(125)	3rd Electric	16	S4 PAR WFL 575w	Blue Top	 R80	123
	"	21	"	"	"	"
(126)	3rd Electric	5	S4 PAR WFL 575w	Blue Top	 R80	110
	"	10	"	"	"	114
(131)	2nd Electric	24	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	102
(132)	2nd Electric	19	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	98
(133)	2nd Electric	13	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	93
(134)	3rd Electric	24	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	126
(135)	3rd Electric	19	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	122
(136)	3rd Electric	13	Source 4 36deg 575w	Leaf Pattern Back Side	 R53, T: R77780	116
(141)	2nd Electric	15	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	94
(142)	2nd Electric	9	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	87
(143)	2nd Electric	4	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	83
(144)	3rd Electric	15	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	119
(145)	3rd Electric	9	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	113
(146)	3rd Electric	4	Source 4 36deg 575w	Con. Pattern Back Side	 R21, T:G697	109





Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(201)	FOH Pipe #2	10	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	1
(202)	FOH Pipe #2	9	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	3
(203)	FOH Pipe #2	8	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	5
(204)	FOH Pipe #2	7	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	6
(205)	FOH Pipe #2	6	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	7
(206)	FOH Pipe #2	5	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	8
(207)	FOH Pipe #2	4	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	9
(208)	FOH Pipe #2	3	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	10
(209)	FOH Pipe #2	2	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	12
(210)	FOH Pipe #2	1	Source 4 10deg+10" Black Top hat 750w	Front Special	<input type="radio"/> N/C	13
(221)	1st Electric	25	Source 4 26deg 575w	Top Special	<input type="radio"/> N/C	76
	"	25a	ICue 60w	Moving Mirror		1065
	"	25b	Auto Iris 60w	DMX Iris		1069
(222)	1st Electric	20	Source 4 26deg 575w	Top Special	<input type="radio"/> N/C	71
	"	20a	ICue 60w	Moving Mirror		1055
	"	20b	Auto Iris 60w	DMX Iris		1059
(223)	1st Electric	15	Source 4 26deg 575w	Top Special	<input type="radio"/> N/C	67
	"	15a	ICue 60w	Moving Mirror		1045
	"	15b	Auto Iris 60w	DMX Iris		1049
(224)	1st Electric	9	Source 4 26deg 575w	Top Special	<input type="radio"/> N/C	62
	"	9a	ICue 60w	Moving Mirror		1035
	"	9b	Auto Iris 60w	DMX Iris		1039

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(225)	1st Electric	4	Source 4 26deg 575w	Top Special	<input type="radio"/> N/C	57
	"	4a	ICue 60w	Moving Mirror		1025
	"	4b	Auto Iris 60w	DMX Iris		1029
(231)	FOH - Under Balcony Pipe	10	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	25
(232)	FOH - Under Balcony Pipe	9	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	26
(233)	FOH - Under Balcony Pipe	8	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	27
(234)	FOH - Under Balcony Pipe	5	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	31
(235)	FOH - Under Balcony Pipe	4	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	32
(236)	FOH - Under Balcony Pipe	3	Source 4 26deg+6.25" Black Top Hat 575w	Balcony Special	<input type="radio"/> N/C	33
(241)	Floor Mount SR	1	Etc Source 4 Lustr2 50deg 117w	LED Shin	<input type="radio"/> R132	411
(242)	Floor Mount SL	1	Etc Source 4 Lustr2 50deg 117w	LED Shin	<input type="radio"/> R132	401
(301)	4th Electric	4a	L&E Ministrip 3 Circ. 750w	Sky Cyc Red	<input checked="" type="radio"/> R124	143
	"	5a	"	"	"	"
(302)	4th Electric	3a	L&E Ministrip 3 Circ. 750w	Sky Cyc Red	<input checked="" type="radio"/> R124	140
(303)	4th Electric	1a	L&E Ministrip 3 Circ. 750w	Sky Cyc Red	<input checked="" type="radio"/> R124	133
	"	2a	"	"	"	"
(304)	Ground Row	4a	L&E Ministrip 3 Circ. 750w	Ground Cyc Red	<input checked="" type="radio"/> R124	180
	"	5a	"	"	"	"
(305)	Ground Row	3a	L&E Ministrip 3 Circ. 750w	Ground Cyc Red	<input checked="" type="radio"/> R124	184
(306)	Ground Row	1a	L&E Ministrip 3 Circ. 750w	Ground Cyc Red	<input checked="" type="radio"/> R124	188
	"	2a	"	"	"	"

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(311)	4th Electric	4b	L&E Ministrip 3 Circ. 750w	Sky Cyc Green	 R126	145
	"	5b	"	"	"	"
(312)	4th Electric	3b	L&E Ministrip 3 Circ. 750w	Sky Cyc Green	 R126	141
(313)	4th Electric	1b	L&E Ministrip 3 Circ. 750w	Sky Cyc Green	 R126	131
	"	2b	"	"	"	"
(314)	Ground Row	4b	L&E Ministrip 3 Circ. 750w	Ground Cyc Green	 R126	179
	"	5b	"	"	"	"
(315)	Ground Row	3b	L&E Ministrip 3 Circ. 750w	Ground Cyc Green	 R126	183
(316)	Ground Row	1b	L&E Ministrip 3 Circ. 750w	Ground Cyc Green	 R126	187
	"	2b	"	"	"	"
(321)	4th Electric	4c	L&E Ministrip 3 Circ. 750w	Sky Cyc Blue	 R125	144
	"	5c	"	"	"	"
(322)	4th Electric	3c	L&E Ministrip 3 Circ. 750w	Sky Cyc Blue	 R125	139
(323)	4th Electric	1c	L&E Ministrip 3 Circ. 750w	Sky Cyc Blue	 R125	132
	"	2c	"	"	"	"
(324)	Ground Row	4c	L&E Ministrip 3 Circ. 750w	Ground Cyc Blue	 R125	181
	"	5c	"	"	"	"
(325)	Ground Row	3c	L&E Ministrip 3 Circ. 750w	Ground Cyc Blue	 R125	185
(326)	Ground Row	1c	L&E Ministrip 3 Circ. 750w	Ground Cyc Blue	 R125	189
	"	2c	"	"	"	"
(401)	FOH - Under Balcony Pipe	7	Source 4 26deg+6.25" Black Top Hat 575w	Mahaiwe Logo	 N/C, T: Mahaiwe Gobo	28
(402)	FOH - Under Balcony Pipe	6	Source 4 26deg+6.25" Black Top Hat 575w	Mahaiwe Logo	 N/C, T: Mahaiwe Gobo	30

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(501)	2nd Electric	20	MAC 700 Profile 900w	Moving Light		1225
(502)	2nd Electric	14	MAC 700 Profile 900w	Moving Light		1175
(503)	2nd Electric	8	MAC 700 Profile 900w	Moving Light		1125
(504)	3rd Electric	20	MAC 700 Profile 900w	Moving Light		1375
(505)	3rd Electric	14	MAC 700 Profile 900w	Moving Light		1325
(506)	3rd Electric	8	MAC 700 Profile 900w	Moving Light		1275
(600)	SR Box Boom 2A	10	Source 4 26deg+6.25" Black Top Hat 575w	Curtain Warmer	 R26+ R132	44
	"	11	"	"	"	"
	SL Box Boom 2A	10	"	"	"	51
	"	11	"	"	"	"
(601)	SR Box Boom 2B	1	S4 PAR WFL+7.5" Barn Door 575w	Orchestra Dome Arch Lights	 R35	204
	"	2	"	"	"	"
	SL Box Boom 2B	1	"	"	"	"
	"	2	"	"	"	"
(613)	SR Box Boom 2A	2	White Etc Source 4 26deg+ 6.25" White Top Hat 575w	Orchestra Fill Lights	 R119	207
	"	3	"	"	"	"
	SL Box Boom 2A	2	"	"	"	"
	"	3	"	"	"	"
(623)	FOH - Under Balcony Pipe	1	White Etc Source 4 36deg+ 6.25" White Top Hat 375w	OPERA BOX HIGH LIGHT	 R35+ R132	212
	"	2	"	"	"	"
	"	11	"	OPERA BOX HIGHLIGHT	"	"
	"	12	"	"	"	"

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
(624)	DSR	3	6" Fres 750w	Run Lights	<input checked="" type="radio"/> R80	178
	DSL	"	"	"	"	186
	MSR	"	"	"	"	178
	MSL	"	"	"	"	186
	USR	"	"	"	"	178
	USL	"	"	"	"	186
(625)	1st Electric	D1	Altman Mini 10+NOT ON PLOT 500w	OVERSTAGE WORKS	<input type="radio"/> N/C	66
	"	D2	"	"	"	"
	"	D3	"	"	"	"
	4th Electric	D4	"	"	"	137
	"	D5	"	"	"	142
	"	D6	"	"	"	149
(1001)	CONSTANT POWER	A1	R15+NOT ON PLOT	LED POWER		47
	"	A2	"	"		48
(1002)	CONSTANT POWER	B	R20+NOT ON PLOT	ICUE POWER		65
(1003)	CONSTANT POWER	C1	THRUPOWER+NOT ON PLOT	M700 POWER		91
	"	C2	"	"		92
	"	C3	"	"		117
	"	C4	"	"		118

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Addr
	SR Box Boom 2A	1	S4 PAR WFL 575w	SAFETY LIGHT		
	SL Box Boom 2A	"	"	"		