










| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|-------------|-------------------|----|--|------------------------|--|-------|------|
| (1) | FOH Pipe # 1 | 10 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/110 | 5/15 |
| (2) | FOH Pipe # 1 | 8 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/108 | 5/17 |
| (3) | FOH Pipe # 1 | 6 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/106 | 5/19 |
| (4) | FOH Pipe # 1 | 4 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/104 | 5/21 |
| (5) | FOH Pipe # 1 | 2 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/102 | 5/23 |
| (6) | FOH Pipe # 1 | 9 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/109 | 5/16 |
| (7) | FOH Pipe # 1 | 7 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/107 | 5/18 |
| (8) | FOH Pipe # 1 | 5 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/105 | 5/20 |
| (9) | FOH Pipe # 1 | 3 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/103 | 5/22 |
| (10) | FOH Pipe # 1 | 1 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Light |  R53+ R132 | 1/101 | 5/24 |
| (11) | 1st Electric | 16 | Source 4wrđ 36deg 155w | Front Light |  R53+ R132 | 2/26 | 5/75 |
| (12) | 1st Electric | 13 | Source 4wrđ 36deg 155w | Front Light |  R53+ R132 | 2/24 | 5/70 |
| (13) | 1st Electric | 10 | Source 4wrđ 36deg 155w | Front Light |  R53+ R132 | 2/22 | 5/64 |
| (14) | 1st Electric | 8 | Source 4wrđ 36deg 155w | Front Light |  R53+ R132 | 2/21 | 5/63 |
| (15) | 1st Electric | 5 | Source 4wrđ 36deg 155w | Front Light |  R53+ R132 | 2/19 | 5/58 |
| (21) | SR Box Boom 2A | 4 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill |  R132 | 1/301 | 5/43 |
| (22) | SR Box Boom 2A | 6 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill |  R132 | 1/311 | 5/43 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|-------------|-------------------|----|--|---------------------------|---|-------|------|
| (23) | SR Box Boom 2A | 8 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill | <input type="radio"/> R132 | 1/321 | 5/43 |
| (24) | SL Box Boom 2A | 4 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill | <input type="radio"/> R132 | 1/331 | 5/49 |
| (25) | SL Box Boom 2A | 6 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill | <input type="radio"/> R132 | 1/341 | 5/49 |
| (26) | SL Box Boom 2A | 8 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Wash Front Fill | <input type="radio"/> R132 | 1/351 | 5/49 |
| (31) | SR Box Boom 2A | 5 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/361 | 5/44 |
| (32) | SR Box Boom 2A | 7 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/371 | 5/44 |
| (33) | SR Box Boom 2A | 9 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/381 | 5/44 |
| (34) | SL Box Boom 2A | 5 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/391 | 5/50 |
| (35) | SL Box Boom 2A | 7 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/401 | 5/50 |
| (36) | SL Box Boom 2A | 9 | Etc Source 4 Lustr2 19deg+ 6.25" Black Top Hat 171w | LED Pattern Front Fill | <input type="radio"/> N/C, T: R784 18 | 1/411 | 5/50 |
| (41) | SR Box Boom 1 | 3 | Source 4wrđ 36deg+6.25" Black Top Hat 155w | Side Light | <input checked="" type="radio"/> R53+ <input type="radio"/> R132 | 1/14 | 5/36 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|-------------|------------------|----|---|------------|--|------|-----------|
| (42) | SR Box Boom 1 | 2 | Source 4wrđ 36deg+6.25" Black Top Hat 155w | Side Light |  R53+ R132 | 1/13 | 5/35 |
| (43) | SR Box Boom 1 | 1 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Side Light |  R53+ R132 | 1/12 | 5/34 |
| (44) | 1st Electric | 20 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/30 | 5/77 |
| (45) | 1st Electric | 19 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/29 | 5/79 |
| (46) | 1st Electric | 18 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/28 | 5/78 |
| (47) | 2nd Electric | 19 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/36 | 5/ 103 |
| (48) | 2nd Electric | 18 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/35 | 5/ 105 |
| (49) | 2nd Electric | 17 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/34 | 5/ 104 |
| (50) | 3rd Electric | 19 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/42 | 5/ 127 |
| (51) | 3rd Electric | 18 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/41 | 5/ 129 |
| (52) | 3rd Electric | 17 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/40 | 5/ 128 |
| (61) | SL Box Boom 1 | 1 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Side Light |  R53+ R132 | 1/9 | 5/38 |
| (62) | SL Box Boom 1 | 2 | Source 4wrđ 36deg+6.25" Black Top Hat 155w | Side Light |  R53+ R132 | 1/10 | 5/39 |
| (63) | SL Box Boom 1 | 3 | Source 4wrđ 36deg+6.25" Black Top Hat 155w | Side Light |  R53+ R132 | 1/11 | 5/40 |
| (64) | 1st Electric | 3 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/17 | 5/55 |
| (65) | 1st Electric | 2 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/16 | 5/54 |
| (66) | 1st Electric | 1 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/15 | 5/56 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|-------------|--------------|----|-----------------------------------|----------------------------|--|-------|-----------|
| (67) | 2nd Electric | 3 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/33 | 5/81 |
| (68) | 2nd Electric | 2 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/32 | 5/80 |
| (69) | 2nd Electric | 1 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/31 | 5/82 |
| (70) | 3rd Electric | 3 | Source 4wrđ 26deg 155w | Side Light |  R53+ R132 | 2/39 | 5/ 107 |
| (71) | 3rd Electric | 2 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/38 | 5/ 106 |
| (72) | 3rd Electric | 1 | Source 4wrđ 36deg 155w | Side Light |  R53+ R132 | 2/37 | 5/ 108 |
| (81) | DSL | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/101 | |
| (82) | DSR | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/111 | |
| (83) | MSL | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/121 | |
| (84) | MSR | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/131 | |
| (85) | USL | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/141 | |
| (86) | USR | 1 | Etc Source 4 Lustr2 26deg 171w | LED Ladder Side | <input type="radio"/> R132 | 2/151 | |
| (91) | DSL | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/161 | |
| (92) | DSR | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/171 | |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|--------------|----|---|----------------------------|--|-------|------|
| (93) | MSL | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/181 | |
| (94) | MSR | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/191 | |
| (95) | USL | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/201 | |
| (96) | USR | 2 | Etc Source 4 Lustr2 36deg 171w | LED Pattern Ladder Side | <input type="radio"/> N/C, T: R784 18 | 2/211 | |
| (101) | 1st Electric | 15 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/401 | 5/60 |
| (102) | 1st Electric | 12 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/407 | 5/60 |
| (103) | 1st Electric | 9 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/413 | 5/60 |
| (104) | 1st Electric | 6 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/419 | 5/60 |
| (105) | 2nd Electric | 15 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/425 | 5/91 |
| (106) | 2nd Electric | 12 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/431 | 5/91 |
| (107) | 2nd Electric | 8 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/437 | 5/85 |
| (108) | 2nd Electric | 5 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Mediu m Round | 3/443 | 5/85 |





| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|--------------|----|--|----------------------------|---------------------------------------|-------|-------|
| (109) | 3rd Electric | 15 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Medium Round | 3/449 | 5/117 |
| (110) | 3rd Electric | 12 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Medium Round | 3/455 | 5/117 |
| (111) | 3rd Electric | 8 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Medium Round | 3/461 | 5/109 |
| (112) | 3rd Electric | 5 | Etc Colorsource Par Deep Blue+7.5" Barn Door 90w | LED Top | <input type="radio"/> Medium Round | 3/467 | 5/109 |
| (121) | 2nd Electric | 16 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/221 | 5/91 |
| (122) | 2nd Electric | 13 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/231 | 5/91 |
| (123) | 2nd Electric | 9 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/241 | 5/85 |
| (124) | 3rd Electric | 16 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/251 | 5/117 |
| (125) | 3rd Electric | 13 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/261 | 5/117 |
| (126) | 3rd Electric | 9 | Etc Source 4 Lustr2 36deg 171w | LED Leaf Pattern Back Side | <input type="radio"/> N/C, T: R777 80 | 2/271 | 5/109 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|-----------------|----|---|----------------------------------|--|-------|-----------|
| (131) | 2nd Electric | 11 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/281 | 5/91 |
| (132) | 2nd Electric | 7 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/291 | 5/85 |
| (133) | 2nd Electric | 4 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/301 | 5/85 |
| (134) | 3rd Electric | 11 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/311 | 5/117 |
| (135) | 3rd Electric | 7 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/321 | 5/ 109 |
| (136) | 3rd Electric | 4 | Etc Source 4 Lustr2 36deg 171w | LED Con. Pattern Back Side | <input type="radio"/> N/C, T: G697 | 2/331 | 5/ 109 |
| (201) | FOH Pipe # 2 | 10 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/120 | 5/1 |
| (202) | FOH Pipe # 2 | 9 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/119 | 5/3 |
| (203) | FOH Pipe # 2 | 8 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/118 | 5/5 |
| (204) | FOH Pipe # 2 | 7 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/117 | 5/6 |
| (205) | FOH Pipe # 2 | 6 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/116 | 5/7 |
| (206) | FOH Pipe # 2 | 5 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/115 | 5/8 |
| (207) | FOH Pipe # 2 | 4 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/114 | 5/9 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|-----------------------------|-----|---|--------------------|---------------------------|-------|------|
| (208) | FOH Pipe # 2 | 3 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/113 | 5/10 |
| (209) | FOH Pipe # 2 | 2 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/112 | 5/12 |
| (210) | FOH Pipe # 2 | 1 | Source 4wrđ 10deg+10" Black Top hat 155w | Front Special | <input type="radio"/> N/C | 1/111 | 5/13 |
| (221) | 1st Electric | 17 | Source 4wrđ 26deg 155w | Top Special | <input type="radio"/> N/C | 2/27 | 5/76 |
| | " | 17a | ICue 17w | Moving Mirror | | 3/301 | 5/59 |
| | " | 17b | Auto Iris 6w | DMX Iris | | 3/305 | " |
| (222) | 1st Electric | 14 | Source 4wrđ 26deg 155w | Top Special | <input type="radio"/> N/C | 2/25 | 5/71 |
| | " | 14a | ICue 17w | Moving Mirror | | 3/306 | 5/59 |
| | " | 14b | Auto Iris 6w | DMX Iris | | 3/310 | " |
| (223) | 1st Electric | 11 | Source 4wrđ 26deg 155w | Top Special | <input type="radio"/> N/C | 2/23 | 5/67 |
| | " | 11a | ICue 17w | Moving Mirror | | 3/311 | 5/59 |
| | " | 11b | Auto Iris 6w | DMX Iris | | 3/315 | " |
| (224) | 1st Electric | 7 | Source 4wrđ 26deg 155w | Top Special | <input type="radio"/> N/C | 2/20 | 5/62 |
| | " | 7a | ICue 17w | Moving Mirror | | 3/316 | 5/59 |
| | " | 7b | Auto Iris 6w | DMX Iris | | 3/320 | " |
| (225) | 1st Electric | 4 | Source 4wrđ 26deg 155w | Top Special | <input type="radio"/> N/C | 2/18 | 5/57 |
| | " | 4a | ICue 17w | Moving Mirror | | 3/321 | 5/59 |
| | " | 4b | Auto Iris 6w | DMX Iris | | 3/325 | " |
| (231) | FOH - Under Balcony Pipe | 10 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/8 | 5/25 |
| (232) | FOH - Under Balcony Pipe | 9 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/7 | 5/26 |
| (233) | FOH - Under Balcony Pipe | 8 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/6 | 5/27 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|--------------------------|----|---|-----------------|----------------------------|-------|-----------|
| (234) | FOH - Under Balcony Pipe | 5 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/3 | 5/31 |
| (235) | FOH - Under Balcony Pipe | 4 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/2 | 5/32 |
| (236) | FOH - Under Balcony Pipe | 3 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Balcony Special | <input type="radio"/> N/C | 1/1 | 5/33 |
| (241) | Floor Mount SR | 1 | Etc Source 4 Lustr2 50deg 171w | LED Shin | <input type="radio"/> R132 | 4/503 | |
| (242) | Floor Mount SL | 1 | Etc Source 4 Lustr2 50deg 171w | LED Shin | <input type="radio"/> R132 | 4/493 | |
| (301) | 4th Electric | 8 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/341 | 5/ 131 |
| (302) | 4th Electric | 7 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/348 | 5/ 131 |
| (303) | 4th Electric | 6 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/355 | 5/ 131 |
| (304) | 4th Electric | 5 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/362 | 5/ 131 |
| (305) | 4th Electric | 4 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/369 | 5/ 131 |
| (306) | 4th Electric | 3 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/376 | 5/ 131 |
| (307) | 4th Electric | 2 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/383 | 5/ 131 |
| (308) | 4th Electric | 1 | Etc Colorsource Cyc 133w | Sky Cyc | <input type="radio"/> N/C | 2/390 | 5/ 131 |
| (311) | Ground Row | 8 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/397 | 5/ 179 |
| (312) | Ground Row | 7 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/404 | 5/ 179 |
| (313) | Ground Row | 6 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/411 | 5/ 179 |
| (314) | Ground Row | 5 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/418 | 5/ 179 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|--------------------------|----|--|--------------|---|-------|-------|
| (315) | Ground Row | 4 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/425 | 5/179 |
| (316) | Ground Row | 3 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/432 | 5/179 |
| (317) | Ground Row | 2 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/439 | 5/179 |
| (318) | Ground Row | 1 | Etc Colorsource Cyc 133w | Ground Cyc | <input type="radio"/> N/C | 2/446 | 5/179 |
| (321) | Ground Row | 12 | Etc Colorsource Par Deep Blue 90w | Uplight | <input type="radio"/> N/C | 2/471 | 5/180 |
| (322) | Ground Row | 11 | Etc Colorsource Par Deep Blue 90w | Uplight | <input type="radio"/> N/C | 2/465 | 5/180 |
| (323) | Ground Row | 10 | Etc Colorsource Par Deep Blue 90w | Uplight | <input type="radio"/> N/C | 2/459 | 5/180 |
| (324) | Ground Row | 9 | Etc Colorsource Par Deep Blue 90w | Uplight | <input type="radio"/> N/C | 2/453 | 5/180 |
| (401) | FOH - Under Balcony Pipe | 7 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Mahaiwe Logo | <input type="radio"/> N/C, T: Mahaiwe Gob o | 1/5 | 5/28 |
| (402) | FOH - Under Balcony Pipe | 6 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Mahaiwe Logo | <input type="radio"/> N/C, T: Mahaiwe Gob o | 1/4 | 5/30 |
| (501) | 2nd Electric | 14 | HES Solaframe 750 560w | Moving Light | | 3/1 | 5/92 |
| (502) | 2nd Electric | 10 | HES Solaframe 750 560w | Moving Light | | 3/51 | 5/86 |
| (503) | 2nd Electric | 6 | HES Solaframe 750 560w | Moving Light | | 3/101 | 5/86 |
| (504) | 3rd Electric | 14 | HES Solaframe 750 560w | Moving Light | | 3/151 | 5/118 |
| (505) | 3rd Electric | 10 | HES Solaframe 750 560w | Moving Light | | 3/201 | 5/118 |
| (506) | 3rd Electric | 6 | HES Solaframe 750 560w | Moving Light | | 3/251 | 5/110 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|--------------|-----------------------------|----|--|-------------------------------|--|-------|------|
| (600) | SR Box Boom 2A | 10 | Source 4wrđ 26deg+6.25" Black Top Hat 155w | Curtain Warmer |  R26+ R132 | 1/91 | 5/45 |
| | " | 11 | " | " | " | 1/92 | " |
| | SL Box Boom 2A | 10 | " | " | " | 1/93 | 5/51 |
| | " | 11 | " | " | " | 1/94 | " |
| (601) | SR Box Boom 2B | 1 | S4rwd PAR WFL+7.5" Barn Door 155w | Orchestra Dome Arch Lights |  R35 | 1/204 | 204 |
| | " | 2 | " | " | " | " | " |
| | SL Box Boom 2B | 1 | " | " | " | " | " |
| | " | 2 | " | " | " | " | " |
| (613) | SR Box Boom 2A | 2 | White Etc Source 4wrđ 26deg+ 6.25" White Top Hat 155w | Orchestra Fill Lights |  R119 | 1/207 | 207 |
| | " | 3 | " | " | " | " | " |
| | SL Box Boom 2A | 2 | " | " | " | " | " |
| | " | 3 | " | " | " | " | " |
| (623) | FOH - Under Balcony Pipe | 1 | White Etc Source 4wrđ 36deg+ 6.25" White Top Hat 155w | OPERA BOX HIGH LIGHT |  R35+ R132 | 1/212 | 212 |
| | " | 2 | " | " | " | " | " |
| | " | 11 | " | OPERA BOX HIGHLIGHT | " | " | " |
| | " | 12 | " | " | " | " | " |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|---------------|--------------|----------------|---------------------------------|---------------------------------|--------------------------------------|---------------------------|-----------|
| (624) | DSR | 3 | S4rwd PAR WFL 155w | Run Lights | <input checked="" type="radio"/> R80 | 5/178 | 5/ 178 |
| | DSL | " | " | " | " | 5/186 | 5/ 186 |
| | MSR | " | " | " | " | 5/178 | 5/ 178 |
| | MSL | " | " | " | " | 5/186 | 5/ 186 |
| | USR | " | " | " | " | 5/178 | 5/ 178 |
| | USL | " | " | " | " | 5/186 | 5/ 186 |
| | (625) | 1st Electric | D1 | LED Work Light+NOT ON PLOT 100w | OVERSTAG E WORKS | <input type="radio"/> N/C | 5/61 |
| " | | D2 | " | " | " | 5/66 | 5/66 |
| " | | D3 | " | " | " | 5/74 | 5/74 |
| 4th Electric | | D4 | LED Work Light+NOT ON PLOT 500w | " | " | 5/137 | 5/ 137 |
| " | | D5 | " | " | " | 5/142 | 5/ 142 |
| " | | D6 | " | " | " | 5/149 | 5/ 149 |
| (1000) | | CONSTANT POWER | A1 | D20+NOT ON PLOT | 4WRD POWER | | 5/131 |

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|---------------|----------------|-----|---------------------------|--------------------|---------|-------|------|
| (1001) | CONSTANT POWER | B1 | R20+NOT ON PLOT | LED POWER | | 5/60 | |
| | " | B2 | " | " | | 5/85 | |
| | " | B3 | " | " | | 5/91 | |
| | " | B4 | " | " | | 5/109 | |
| | " | B5 | " | " | | 5/117 | |
| | " | B6 | " | " | | 5/131 | |
| | " | B7 | " | " | | 5/179 | |
| | " | B8 | " | " | | 5/43 | |
| | " | B9 | " | " | | 5/44 | |
| | " | B10 | " | " | | 5/91 | |
| | " | B11 | " | " | | 5/109 | |
| | " | B12 | " | " | | 5/117 | |
| (1002) | CONSTANT POWER | C1 | R20+NOT ON PLOT | ICUE POWER | | 5/59 | |
| (1003) | CONSTANT POWER | D1 | R20+NOT ON PLOT | MOVING LIGHT POWER | | 5/86 | |
| | " | D2 | " | " | | 5/92 | |
| | " | D3 | " | " | | 5/110 | |
| | " | D4 | " | " | | 5/118 | |

Items WITHOUT Channel

| Channel | Position | U# | Inst Type & Access & Load | Purpose | Clr & G | Addr | C# A |
|---------|-------------------|----|---------------------------|-----------------|---------|------|------|
| | SR Box Boom 2A | 1 | Etc S4 Par WFL 575w | SAFETY LIGHT | | | |
| | SL Box Boom 2A | " | " | " | | | |











TABLE OF CONTENTS

| | | | |
|--------------------------------|---|----------------------|----|
| FOH Pipe #2 | 1 | 1st Electric | 7 |
| FOH Pipe #1 | 2 | 2nd Electric | 9 |
| FOH - Under Balcony Pipe | 3 | 3rd Electric | 11 |
| SR Box Boom 2A | 4 | 4th Electric | 12 |
| SL Box Boom 2A | 5 | Ground Row | 13 |
| SR Box Boom 2B | 5 | DSR | 13 |
| SL Box Boom 2B | 6 | DSL | 13 |
| SL Box Boom 1 | 6 | MSR | 14 |
| SR Box Boom 1 | 6 | MSL | 14 |
| Floor Mount SL | 6 | USR | 14 |
| Floor Mount SR | 6 | USL | 14 |
| | | CONSTANT POWER | 15 |













FOH Pipe #2

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|---------------|--|---------------------------|-------|-------|------|------|-----|
| 1 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (210) | 1/111 | 13 | 5/13 | |
| 2 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (209) | 1/112 | 12 | 5/12 | |
| 3 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (208) | 1/113 | 10 | 5/10 | |
| 4 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (207) | 1/114 | 9 | 5/9 | |
| 5 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (206) | 1/115 | 8 | 5/8 | |
| 6 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (205) | 1/116 | 7 | 5/7 | |
| 7 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (204) | 1/117 | 6 | 5/6 | |
| 8 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (203) | 1/118 | 5 | 5/5 | |
| 9 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (202) | 1/119 | 3 | 5/3 | |
| 10 | Front Special | Source 4wrđ 10deg+10" Black Top hat | <input type="radio"/> N/C | (201) | 1/120 | 1 | 5/1 | |

FOH Pipe #1

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|-------------|--|--|------|-------|------|------|-----|
| 1 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (10) | 1/101 | 24 | 5/24 | |
| 2 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (5) | 1/102 | 23 | 5/23 | |
| 3 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (9) | 1/103 | 22 | 5/22 | |
| 4 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (4) | 1/104 | 21 | 5/21 | |
| 5 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (8) | 1/105 | 20 | 5/20 | |
| 6 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (3) | 1/106 | 19 | 5/19 | |
| 7 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (7) | 1/107 | 18 | 5/18 | |
| 8 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (2) | 1/108 | 17 | 5/17 | |
| 9 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (6) | 1/109 | 16 | 5/16 | |
| 10 | Front Light | Source 4wrd 10deg+10" Black Top hat |  R53+ R132 | (1) | 1/110 | 15 | 5/15 | |

FOH - Under Balcony Pipe

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|-------------------------|---|---|-------|-------|------|------|-----|
| 1 | OPERA BOX HIGH LIGHT | White Etc Source 4wrđ 36deg+ 6.25" White Top Hat |  R35+ R132 | (623) | 1/212 | 212 | 212 | 212 |
| 2 | OPERA BOX HIGH LIGHT | White Etc Source 4wrđ 36deg+ 6.25" White Top Hat |  R35+ R132 | (623) | 1/212 | 212 | 212 | 212 |
| 3 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (236) | 1/1 | 33 | 5/33 | |
| 4 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (235) | 1/2 | 32 | 5/32 | |
| 5 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (234) | 1/3 | 31 | 5/31 | |
| 6 | Mahaiwe Logo | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C, T: Mahaiw e Gobo | (402) | 1/4 | 30 | 5/30 | |
| 7 | Mahaiwe Logo | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C, T: Mahaiw e Gobo | (401) | 1/5 | 28 | 5/28 | |
| 8 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (233) | 1/6 | 27 | 5/27 | |
| 9 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (232) | 1/7 | 26 | 5/26 | |
| 10 | Balcony Special | Source 4wrđ 26deg+6.25" Black Top Hat |  N/C | (231) | 1/8 | 25 | 5/25 | |
| 11 | OPERA BOX HIGHLIGHT | White Etc Source 4wrđ 36deg+ 6.25" White Top Hat |  R35+ R132 | (623) | 1/212 | 212 | 212 | 212 |
| 12 | OPERA BOX HIGHLIGHT | White Etc Source 4wrđ 36deg+ 6.25" White Top Hat |  R35+ R132 | (623) | 1/212 | 212 | 212 | 212 |

SR Box Boom 2A

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|---------------------------|---|---|-------|-------|------|------|-----|
| 1 | SAFETY LIGHT | Etc S4 Par WFL | | | | | | |
| 2 | Orchestra Fill Lights | White Etc Source 4wrđ 26deg+ 6.25" White Top Hat | <input type="radio"/> R119 | (613) | 1/207 | 207 | 207 | |
| 3 | Orchestra Fill Lights | White Etc Source 4wrđ 26deg+ 6.25" White Top Hat | <input type="radio"/> R119 | (613) | 1/207 | 207 | 207 | |
| 4 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (21) | 1/301 | 43 | 5/43 | |
| 5 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (31) | 1/361 | 44 | 5/44 | |
| 6 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (22) | 1/311 | 43 | 5/43 | |
| 7 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (32) | 1/371 | 44 | 5/44 | |
| 8 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (23) | 1/321 | 43 | 5/43 | |
| 9 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (33) | 1/381 | 44 | 5/44 | |
| 10 | Curtain Warmer | Source 4wrđ 26deg+6.25" Black Top Hat | <input checked="" type="radio"/> R26+ R132 | (600) | 1/91 | 45 | 5/45 | |
| 11 | Curtain Warmer | Source 4wrđ 26deg+6.25" Black Top Hat | <input checked="" type="radio"/> R26+ R132 | (600) | 1/92 | 45 | 5/45 | |



SL Box Boom 2A

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|---------------------------|---|---|-------|-------|------|------|-----|
| 1 | SAFETY LIGHT | Etc S4 Par WFL | | | | | | |
| 2 | Orchestra Fill Lights | White Etc Source 4wrđ 26deg+ 6.25" White Top Hat | <input type="radio"/> R119 | (613) | 1/207 | 207 | 207 | |
| 3 | Orchestra Fill Lights | White Etc Source 4wrđ 26deg+ 6.25" White Top Hat | <input type="radio"/> R119 | (613) | 1/207 | 207 | 207 | |
| 4 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (24) | 1/331 | 49 | 5/49 | |
| 5 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (34) | 1/391 | 50 | 5/50 | |
| 6 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (25) | 1/341 | 49 | 5/49 | |
| 7 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (35) | 1/401 | 50 | 5/50 | |
| 8 | LED Wash Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> R132 | (26) | 1/351 | 49 | 5/49 | |
| 9 | LED Pattern Front Fill | Etc Source 4 Lustr2 19deg+6.25" Black Top Hat | <input type="radio"/> N/C, T: R78418 | (36) | 1/411 | 50 | 5/50 | |
| 10 | Curtain Warmer | Source 4wrđ 26deg+6.25" Black Top Hat | <input checked="" type="radio"/> R26+ R132 | (600) | 1/93 | 51 | 5/51 | |
| 11 | Curtain Warmer | Source 4wrđ 26deg+6.25" Black Top Hat | <input checked="" type="radio"/> R26+ R132 | (600) | 1/94 | 51 | 5/51 | |




SR Box Boom 2B

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|-------------------------------|-----------------------------|--------------------------------------|-------|-------|------|-----|-----|
| 1 | Orchestra Dome Arch Lights | S4rđ PAR WFL+7.5" Barn Door | <input checked="" type="radio"/> R35 | (601) | 1/204 | 204 | 204 | |
| 2 | Orchestra Dome Arch Lights | S4rđ PAR WFL+7.5" Barn Door | <input checked="" type="radio"/> R35 | (601) | 1/204 | 204 | 204 | |




SL Box Boom 2B

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|------------------------------|---|-------|-------|------|-----|-----|
| 1 | Orchestra Dome Arch Lights | S4rwd PAR WFL+7.5" Barn Door |  R35 | (601) | 1/204 | 204 | 204 | |
| 2 | Orchestra Dome Arch Lights | S4rwd PAR WFL+7.5" Barn Door |  R35 | (601) | 1/204 | 204 | 204 | |


SL Box Boom 1

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|------------|---------------------------------------|--|------|------|------|------|-----|
| 1 | Side Light | Source 4wrđ 26deg+6.25" Black Top Hat |  R53+ R132 | (61) | 1/9 | 38 | 5/38 | |
| 2 | Side Light | Source 4wrđ 36deg+6.25" Black Top Hat |  R53+ R132 | (62) | 1/10 | 39 | 5/39 | |
| 3 | Side Light | Source 4wrđ 36deg+6.25" Black Top Hat |  R53+ R132 | (63) | 1/11 | 40 | 5/40 | |


SR Box Boom 1

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|------------|---------------------------------------|--|------|------|------|------|-----|
| 1 | Side Light | Source 4wrđ 26deg+6.25" Black Top Hat |  R53+ R132 | (43) | 1/12 | 34 | 5/34 | |
| 2 | Side Light | Source 4wrđ 36deg+6.25" Black Top Hat |  R53+ R132 | (42) | 1/13 | 35 | 5/35 | |
| 3 | Side Light | Source 4wrđ 36deg+6.25" Black Top Hat |  R53+ R132 | (41) | 1/14 | 36 | 5/36 | |

Floor Mount SL

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------|-----------------------------|--|-------|-------|------|----|-----|
| 1 | LED Shin | Etc Source 4 Lustr2 50deg |  R132 | (242) | 4/493 | | | |

Floor Mount SR

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------|-----------------------------|--|-------|-------|------|----|-----|
| 1 | LED Shin | Etc Source 4 Lustr2 50deg |  R132 | (241) | 4/503 | | | |

1st Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|-----|---------------|---|---|-------|-------|------|------|-----|
| 1 | Side Light | Source 4wrđ 36deg |  R53+ R132 | (66) | 2/15 | 56 | 5/56 | |
| 2 | Side Light | Source 4wrđ 36deg |  R53+ R132 | (65) | 2/16 | 54 | 5/54 | |
| 3 | Side Light | Source 4wrđ 26deg |  R53+ R132 | (64) | 2/17 | 55 | 5/55 | |
| 4 | Top Special | Source 4wrđ 26deg |  N/C | (225) | 2/18 | 57 | 5/57 | |
| 4a | Moving Mirror | ICue | | (225) | 3/321 | 59 | 5/59 | |
| 4b | DMX Iris | Auto Iris | | (225) | 3/325 | 59 | 5/59 | |
| 5 | Front Light | Source 4wrđ 36deg |  R53+ R132 | (15) | 2/19 | 58 | 5/58 | |
| 6 | LED Top | Etc Colorsourc Par Deep Blue+ 7.5" Barn Door |  Medium Round | (104) | 3/419 | 60 | 5/60 | |
| 7 | Top Special | Source 4wrđ 26deg |  N/C | (224) | 2/20 | 62 | 5/62 | |
| 7a | Moving Mirror | ICue | | (224) | 3/316 | 59 | 5/59 | |
| 7b | DMX Iris | Auto Iris | | (224) | 3/320 | 59 | 5/59 | |
| 8 | Front Light | Source 4wrđ 36deg |  R53+ R132 | (14) | 2/21 | 63 | 5/63 | |
| 9 | LED Top | Etc Colorsourc Par Deep Blue+ 7.5" Barn Door |  Medium Round | (103) | 3/413 | 60 | 5/60 | |
| 10 | Front Light | Source 4wrđ 36deg |  R53+ R132 | (13) | 2/22 | 64 | 5/64 | |
| 11 | Top Special | Source 4wrđ 26deg |  N/C | (223) | 2/23 | 67 | 5/67 | |
| 11a | Moving Mirror | ICue | | (223) | 3/311 | 59 | 5/59 | |
| 11b | DMX Iris | Auto Iris | | (223) | 3/315 | 59 | 5/59 | |
| 12 | LED Top | Etc Colorsourc Par Deep Blue+ 7.5" Barn Door |  Medium Round | (102) | 3/407 | 60 | 5/60 | |
| 13 | Front Light | Source 4wrđ 36deg |  R53+ R132 | (12) | 2/24 | 70 | 5/70 | |
| 14 | Top Special | Source 4wrđ 26deg |  N/C | (222) | 2/25 | 71 | 5/71 | |




1st Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|-----|--------------------|---|---|-------|-------|------|------|-----|
| 14a | Moving Mirror | ICue | | (222) | 3/306 | 59 | 5/59 | |
| 14b | DMX Iris | Auto Iris | | (222) | 3/310 | 59 | 5/59 | |
| 15 | LED Top | Etc Colorsourc Par Deep Blue+ 7.5" Barn Door | <input type="radio"/> Medium Round | (101) | 3/401 | 60 | 5/60 | |
| 16 | Front Light | Source 4wrđ 36deg | <input checked="" type="radio"/> R53+ R132 | (11) | 2/26 | 75 | 5/75 | |
| 17 | Top Special | Source 4wrđ 26deg | <input type="radio"/> N/C | (221) | 2/27 | 76 | 5/76 | |
| 17a | Moving Mirror | ICue | | (221) | 3/301 | 59 | 5/59 | |
| 17b | DMX Iris | Auto Iris | | (221) | 3/305 | 59 | 5/59 | |
| 18 | Side Light | Source 4wrđ 26deg | <input checked="" type="radio"/> R53+ R132 | (46) | 2/28 | 78 | 5/78 | |
| 19 | Side Light | Source 4wrđ 36deg | <input checked="" type="radio"/> R53+ R132 | (45) | 2/29 | 79 | 5/79 | |
| 20 | Side Light | Source 4wrđ 36deg | <input checked="" type="radio"/> R53+ R132 | (44) | 2/30 | 77 | 5/77 | |
| D1 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT | <input type="radio"/> N/C | (625) | 5/61 | 61 | 5/61 | |
| D2 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT | <input type="radio"/> N/C | (625) | 5/66 | 66 | 5/66 | |
| D3 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT | <input type="radio"/> N/C | (625) | 5/74 | 74 | 5/74 | |

2nd Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------------|--|--|-------|-------|------|------|-----|
| 1 | Side Light | Source 4wrdr 36deg |  R53+ R132 | (69) | 2/31 | 82 | 5/82 | |
| 2 | Side Light | Source 4wrdr 36deg |  R53+ R132 | (68) | 2/32 | 80 | 5/80 | |
| 3 | Side Light | Source 4wrdr 26deg |  R53+ R132 | (67) | 2/33 | 81 | 5/81 | |
| 4 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (133) | 2/301 | 85 | 5/85 | |
| 5 | LED Top | Etc Colorsource Par Deep Blue+ 7.5" Barn Door |  Medium Round | (108) | 3/443 | 85 | 5/85 | |
| 6 | Moving Light | HES Solaframe 750 | | (503) | 3/101 | 86 | 5/86 | |
| 7 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (132) | 2/291 | 85 | 5/85 | |
| 8 | LED Top | Etc Colorsource Par Deep Blue+ 7.5" Barn Door |  Medium Round | (107) | 3/437 | 85 | 5/85 | |
| 9 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (123) | 2/241 | 85 | 5/85 | |
| 10 | Moving Light | HES Solaframe 750 | | (502) | 3/51 | 86 | 5/86 | |
| 11 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (131) | 2/281 | 91 | 5/91 | |
| 12 | LED Top | Etc Colorsource Par Deep Blue+ 7.5" Barn Door |  Medium Round | (106) | 3/431 | 91 | 5/91 | |
| 13 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (122) | 2/231 | 91 | 5/91 | |
| 14 | Moving Light | HES Solaframe 750 | | (501) | 3/1 | 92 | 5/92 | |
| 15 | LED Top | Etc Colorsource Par Deep Blue+ 7.5" Barn Door |  Medium Round | (105) | 3/425 | 91 | 5/91 | |
| 16 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (121) | 2/221 | 91 | 5/91 | |




2nd Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|------------|-----------------------------|--|------|------|------|-------|-----|
| 17 | Side Light | Source 4wrđ 26deg |  R53+ R132 | (49) | 2/34 | 104 | 5/104 | |
| 18 | Side Light | Source 4wrđ 36deg |  R53+ R132 | (48) | 2/35 | 105 | 5/105 | |
| 19 | Side Light | Source 4wrđ 36deg |  R53+ R132 | (47) | 2/36 | 103 | 5/103 | |












3rd Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------------|---|--|-------|-------|------|-------|-----|
| 1 | Side Light | Source 4wrdr 36deg |  R53+ R132 | (72) | 2/37 | 108 | 5/108 | |
| 2 | Side Light | Source 4wrdr 36deg |  R53+ R132 | (71) | 2/38 | 106 | 5/106 | |
| 3 | Side Light | Source 4wrdr 26deg |  R53+ R132 | (70) | 2/39 | 107 | 5/107 | |
| 4 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (136) | 2/331 | 109 | 5/109 | |
| 5 | LED Top | Etc Colorsources Par Deep Blue+ 7.5" Barn Door |  Medium Round | (112) | 3/467 | 109 | 5/109 | |
| 6 | Moving Light | HES Solaframe 750 | | (506) | 3/251 | 110 | 5/110 | |
| 7 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (135) | 2/321 | 109 | 5/109 | |
| 8 | LED Top | Etc Colorsources Par Deep Blue+ 7.5" Barn Door |  Medium Round | (111) | 3/461 | 109 | 5/109 | |
| 9 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (126) | 2/271 | 109 | 5/109 | |
| 10 | Moving Light | HES Solaframe 750 | | (505) | 3/201 | 118 | 5/118 | |
| 11 | LED Con. Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T:G697 | (134) | 2/311 | 117 | 5/117 | |
| 12 | LED Top | Etc Colorsources Par Deep Blue+ 7.5" Barn Door |  Medium Round | (110) | 3/455 | 117 | 5/117 | |
| 13 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (125) | 2/261 | 117 | 5/117 | |
| 14 | Moving Light | HES Solaframe 750 | | (504) | 3/151 | 118 | 5/118 | |
| 15 | LED Top | Etc Colorsources Par Deep Blue+ 7.5" Barn Door |  Medium Round | (109) | 3/449 | 117 | 5/117 | |
| 16 | LED Leaf Pattern Back Side | Etc Source 4 Lustr2 36deg |  N/C, T: R77780 | (124) | 2/251 | 117 | 5/117 | |

3rd Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|------------|-----------------------------|--|------|------|------|-------|-----|
| 17 | Side Light | Source 4wrd 26deg |  R53+ R132 | (52) | 2/40 | 128 | 5/128 | |
| 18 | Side Light | Source 4wrd 36deg |  R53+ R132 | (51) | 2/41 | 129 | 5/129 | |
| 19 | Side Light | Source 4wrd 36deg |  R53+ R132 | (50) | 2/42 | 127 | 5/127 | |

4th Electric

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|-----------------|-----------------------------|---|-------|-------|------|-------|-----|
| 1 | Sky Cyc | Etc Coloursource Cyc |  N/C | (308) | 2/390 | 131 | 5/131 | |
| 2 | Sky Cyc | Etc Coloursource Cyc |  N/C | (307) | 2/383 | 131 | 5/131 | |
| 3 | Sky Cyc | Etc Coloursource Cyc |  N/C | (306) | 2/376 | 131 | 5/131 | |
| 4 | Sky Cyc | Etc Coloursource Cyc |  N/C | (305) | 2/369 | 131 | 5/131 | |
| 5 | Sky Cyc | Etc Coloursource Cyc |  N/C | (304) | 2/362 | 131 | 5/131 | |
| 6 | Sky Cyc | Etc Coloursource Cyc |  N/C | (303) | 2/355 | 131 | 5/131 | |
| 7 | Sky Cyc | Etc Coloursource Cyc |  N/C | (302) | 2/348 | 131 | 5/131 | |
| 8 | Sky Cyc | Etc Coloursource Cyc |  N/C | (301) | 2/341 | 131 | 5/131 | |
| D4 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT |  N/C | (625) | 5/137 | 137 | 5/137 | |
| D5 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT |  N/C | (625) | 5/142 | 142 | 5/142 | |
| D6 | OVERSTAGE WORKS | LED Work Light+NOT ON PLOT |  N/C | (625) | 5/149 | 149 | 5/149 | |

Ground Row

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|------------|-------------------------------|---------------------------|-------|-------|------|-------|-----|
| 1 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (318) | 2/446 | 179 | 5/179 | |
| 2 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (317) | 2/439 | 179 | 5/179 | |
| 3 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (316) | 2/432 | 179 | 5/179 | |
| 4 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (315) | 2/425 | 179 | 5/179 | |
| 5 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (314) | 2/418 | 179 | 5/179 | |
| 6 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (313) | 2/411 | 179 | 5/179 | |
| 7 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (312) | 2/404 | 179 | 5/179 | |
| 8 | Ground Cyc | Etc Colorsource Cyc | <input type="radio"/> N/C | (311) | 2/397 | 179 | 5/179 | |
| 9 | Uplight | Etc Colorsource Par Deep Blue | <input type="radio"/> N/C | (324) | 2/453 | 180 | 5/180 | |
| 10 | Uplight | Etc Colorsource Par Deep Blue | <input type="radio"/> N/C | (323) | 2/459 | 180 | 5/180 | |
| 11 | Uplight | Etc Colorsource Par Deep Blue | <input type="radio"/> N/C | (322) | 2/465 | 180 | 5/180 | |
| 12 | Uplight | Etc Colorsource Par Deep Blue | <input type="radio"/> N/C | (321) | 2/471 | 180 | 5/180 | |

DSR

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (82) | 2/111 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (92) | 2/171 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/178 | 178 | 5/178 | |

DSL

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (81) | 2/101 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (91) | 2/161 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/186 | 186 | 5/186 | |

MSR

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (84) | 2/131 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (94) | 2/191 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/178 | 178 | 5/178 | |

MSL

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (83) | 2/121 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (93) | 2/181 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/186 | 186 | 5/186 | |

USR

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (86) | 2/151 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (96) | 2/211 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/178 | 178 | 5/178 | |

USL

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|----|----------------------------|-----------------------------|--|-------|-------|------|-------|-----|
| 1 | LED Ladder Side | Etc Source 4 Lustr2 26deg | <input type="radio"/> R132 | (85) | 2/141 | | | |
| 2 | LED Pattern Ladder Side | Etc Source 4 Lustr2 36deg | <input type="radio"/> N/C, T: R78418 | (95) | 2/201 | | | |
| 3 | Run Lights | S4rwd PAR WFL | <input checked="" type="radio"/> R80 | (624) | 5/186 | 186 | 5/186 | |

CONSTANT POWER

| U# | Purpose | Instrument Type & Accessory | Clr & Gbo | Chan | Addr | Cir# | C# | Adr |
|-----|-----------------------|-----------------------------|-----------|--------|-------|------|----|-----|
| A1 | 4WRD POWER | D20+NOT ON PLOT | | (1000) | 5/131 | | | |
| B1 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/60 | | | |
| B2 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/85 | | | |
| B3 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/91 | | | |
| B4 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/109 | | | |
| B5 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/117 | | | |
| B6 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/131 | | | |
| B7 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/179 | | | |
| B8 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/43 | | | |
| B9 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/44 | | | |
| B10 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/91 | | | |
| B11 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/109 | | | |
| B12 | LED POWER | R20+NOT ON PLOT | | (1001) | 5/117 | | | |
| C1 | ICUE POWER | R20+NOT ON PLOT | | (1002) | 5/59 | | | |
| D1 | MOVING LIGHT POWER | R20+NOT ON PLOT | | (1003) | 5/86 | | | |
| D2 | MOVING LIGHT POWER | R20+NOT ON PLOT | | (1003) | 5/92 | | | |
| D3 | MOVING LIGHT POWER | R20+NOT ON PLOT | | (1003) | 5/110 | | | |
| D4 | MOVING LIGHT POWER | R20+NOT ON PLOT | | (1003) | 5/118 | | | |